





a·light

APEX


RECESSED DISCRETION

With its recessed cell technology and dark aperture, Apex is designed for discretion.



HIDDEN BEAUTY

Apex's light source is invisible to the eye when looking outside of its beam angle.



HE TECH™

Provides high performance from a narrow ½" aperture diffuse acrylic lens.

FILLER MODULES


Apex is available with unlit filler modules for diverse design options.

BAFFLE OPTIC

Single precise cells combine to create a powerful linear system, with 22° and 55° beam angles.

FIND YOUR FOCUS

Offering direct illumination, Apex is available with different optics each suitable for various applications.



PHOTOGRAPHER: WADE GRIFFITH



DESIGNED FOR DISCRETION

Apex seamlessly integrates into architecture to maintain a minimal presence.

22° CUT-OFF ANGLE

Superior output capabilities, best for higher ceiling applications.

55° CUT-OFF ANGLE

Controlled and efficient light, ideal for lower ceiling applications.

BUILT TO PERFORM

Using precise viewing cut-off angles, Apex delivers powerful ambient lighting.



APX | 55° BEAM ANGLE

PROJECT STORY: LPA IRVINE OFFICE
ARCHITECT: LPA DESIGN STUDIOS
PHOTOGRAPHER: CRISTIAN COSTEA
READ THE FULL STORY [HERE](#)



APX | 22° BEAM ANGLE

AIRCRAFT CABLE



SURFACE CEILING



RECESSED



SURFACE WALL



MOUNTING
ADVANTAGES

Surface & suspended mountings offer installation adjustability while recessed mounting allows for added discretion.



DESIGN
VERSATILITY

Unique pattern configurations are possible through collaboration with our Design Assist team.




FULLY LIT MODULES



MIDDLE FILLER MODULES



END FILLER MODULES



FILLER ONLY MODULES



MIXED FILLER MODULES

**ENDLESS
COMBINATIONS**

Play with design concepts by choosing from a variety of lit and unlit modules.



**FULL
COVERAGE**

Unlit filler modules won't sacrifice light coverage due to Apex's wide beam angles.

OPTIMIZED LED

Nichia diodes allow color consistency with superior efficiency.

ALUMINUM STRUCTURE

Robust, high quality 60% recycled aluminum extruded housing.

nLIGHT® ENABLED

Available with nLight® AIR or nLight® Wired lighting control solutions.



UL/CUL CERTIFIED

All Apex fixtures are UL/CUL listed for damp locations.



a·light

3728 Maritime Way, Oceanside CA, 92056

760-727-7675 | alights.com



BUY AMERICAN

AcuityBrands.