




A modern kitchen with white cabinetry, a granite countertop, and a central island. The kitchen features a white subway tile backsplash, a stainless steel range hood, and a built-in oven. Two large, ornate pendant lights hang over the island. The floor is made of light-colored wood.

	Application	Size	Trim Style	Lumen	CCT	CRI	Dimming	Install Type	Finishes	Special Applications
Wafers™										
 Flat Switchable WF4 WF6 WF8	Indoor/Outdoor Single Family Multi-Family Light Commercial	4" 6" 8"	Flat, Modern Aesthetic	670 950 1600	Switchable White 2700K- 5000K	90	Dimmable to 10% only with Triac Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White Black Brushed Nickel Oil Rubbed Bronze	
 Flat Switchable & ALO WF2 WF4 WF6 WF8	Indoor/Outdoor Single Family Multi-Family Light Commercial	2" 4" 6" 8"	Flat, Modern Aesthetic	Adjustable Lumens 500 675 850 Adjustable Lumens 700 900 1100 Adjustable Lumens 800 1050 1300 Adjustable Lumens 1500 1750 1950	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White Color Finished Trim Inserts Available	
 Semi-Regressed Switchable WF4 WF6	Indoor/Outdoor Single Family Multi-Family Light Commercial	4" 6"	Semi- Regressed Traditional Aesthetic	670 950	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White	
 Deep Regressed Baffle, Switchable & ALO WF2 WF4 WF6	Indoor/Outdoor Single Family Multi-Family Light Commercial	2" 4" 6"	Deep Regressed Baffle, Traditional Aesthetic	Adjustable Lumens 525 700 900 Adjustable Lumens 700 900 1100 Adjustable Lumens 967 1091 1123	Switchable White 2700K- 5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 3" of plenum space needed	Matte White Color Finished Trim Inserts Available	



	Application	Size	Trim Style	Lumen	CCT	CRI	Dimming	Install Type	Finishes	Special Applications
Wafers™										
 Deep, Regressed Smooth Switchable & ALO WF2 WF4 WF6	Indoor/Outdoor Single Family Multi-Family Light Commercial	2"	Deep Regressed Smooth, Traditional Aesthetic	Adjustable Lumens 525 700 900	Switchable White 2700K-5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 3" of plenum space needed	Matte White Color Finished Trim Inserts Available	
		4"		Adjustable Lumens 700 900 1100						
		6"		Adjustable Lumens 800 1050 1300						
 Adjustable Switchable WF4 WF6	Indoor Single Family Multi-Family Light Commercial Perfect for sloped ceilings	4"	Adjustable, Modern Aesthetic	850	Switchable White 2700K-5000K	90	Dimming down to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 3" of plenum space needed	Matte White Matte Black	
		6"		1000						
 Square Switchable & ALO WF4 WF6	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Square, Modern Aesthetic	Adjustable Lumens 450 550 750	Switchable White 2700K-5000K	90	Dimming 100% to 10% with most Standard Incandescent Dimmers	Canless Installs directly into ceiling drywall 2" of plenum space needed	Matte White	
		6"		Adjustable Lumens 650 850 1000						
Podz (Round & Square) JPDZ										
 Round & Square Podz JPDZ	Indoor/Outdoor Single Family Multi-Family Light Commercial New Construction & Remodel	4" 5" 6"	Regressed, Traditional Baffle or Smooth Aesthetic Options	Adjustable Lumen Output 700 1000 1200	Switchable White 2700K-5000K plus WarmDim	90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Clear Haze Wheat Haze White	




2" LED Downlights (Round & Square) 2LED										
 2 LED Round Cone	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Smooth Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Clear Haze Wheat Haze White	
 2 LED Round Baffle	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Baffle Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	
 2 LED Round Adjustable	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Adjustable, Low profile gimbal Modern Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	
 2 LED Square Downlight	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Regressed, Square Traditional Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	
 2 LED Square Adjustable	Indoor Single Family Multi-Family Light Commercial New Construction or Remodel	2"	Square Adjustable, Low profile gimbal Modern Aesthetic	600 1000	2700K 3000K 3500K 4000K	80 90	Dimming 100% to 5% with use of forward, reverse phase or 0-10V Dimmers	Canless Installs directly into ceiling drywall 5.5" of plenum space needed	Black Bronze Satin Nickel White	
Mini MD1LG2										
 Round MD1LG2 RD	Indoor/Outdoor Single Family Multi-Family Light Commercial	1"	Regressed, Smooth Traditional Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	
 Square MD1LG2 SQ	Indoor/Outdoor Single Family Multi-Family Light Commercial	1"	Regressed, Smooth Traditional Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	
 Adjustable, Round MG1LG2 RD	Indoor Single Family Multi-Family Light Commercial	1"	Adjustable, Round Modern Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	
 Adjustable, Square MG1LG2 SQ	Indoor Single Family Multi-Family Light Commercial	1"	Adjustable, Square Modern Aesthetic	300	2700K 3000K 3500K 4000K	80 90	May be dimmed with dimmers tested and qualified by Juno for use with TL602E and MAGXFMR transformers	Canless Installs directly into ceiling drywall 4" of plenum space needed	Black Bronze Satin Nickel White	

Notes:
1. Wet Location is an ordering OPTION for the round and square mini downlights.
2. Mini LED fixtures require an electronic/magnetic transformer (sold separately) to operate

juno® Retrofit LED Trim Kits

Retrofit Trim Kits are economical downlight solutions that can be used in both renovation and new construction projects. They install quickly, and easily from below the ceiling into traditional recessed housings. For installation into existing housings, Juno® Trim Kits include an E26 socket whip, or for new construction installations consider Juno® Quick Connect Housings. Juno® retrofit trim kit solutions provide an array of product families including: RetroBasics™, E Series, RLD, RLA, J6RL, J6SLC Smart Speaker Light, and Quick Connect Housings.



	Application	Size	Trim Style	Lumen	CCT	CRI	Dimming	Install Type	Finishes	Special Applications
RetroBasics™										
 RetroBasics Switchable Downlight RB4 RB56	Indoor/Outdoor Single Family Multi-Family	4"	Regressed Baffle or Smooth, Traditional Aesthetic	625	Switchable White 2700K- 5000K	90	Dimmable 100% to 10%	Trim Kit, Housing Required New Construction or Re- model Applications	White Color Finish Trim Inserts Available	
		5/6"		860						
 RetroBasics Switchable Adjustable RB4A RB56A	Indoor Single Family Multi-Family	4"	Adjustable Modern, Aesthetic	700	Switchable White 2700K- 5000K	90	Dimmable 100% to 10%	Trim Kit, Housing Required New Construction or Re- model Applications	White Matte Black Bronze Satin Nickel Paint	
		5/6"		800						
E Series										
 E Series Smooth Switchable 4SEMW 65SEMW	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Deep Regressed, Smooth Traditional Aesthetic	700	Switchable White 2700K- 5000K	90	Dimmable 100% to 10%	Trim Kit, Housing Required New Construction or Remodel Applications	White Color Finish Inserts Available	
		5/6"		900 / 1200						
 E Series Baffle Switchable 4BEMW 65BEMW	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Deep Regressed, Baffle Traditional Aesthetic	700	Switchable White 2700K- 5000K	90	Dimmable 100% to 10%	Trim Kit, Housing Required New Construction or Re- model	White Color Finish Inserts Available	
		5/6"		900 / 1200						
RLD										
 RLD 4RLD 5RLD 6RLD	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Regressed, Baffle Traditional Aesthetic	600 / 900	2700K 3000K	90	Dimmable 100% to 5%	Trim Kit, Housing Required New Construction or Remodel Applications	White	
		5"		700						
		6"		700 / 1000						
RLD										
 RLA 4RLA 5RLA 6RLA	Indoor Single Family Multi-Family Light Commercial	4" 5" 6"	Adjustable, Round Modern Aesthetic	600	2700K 3000K	90	Dimmable with most standard incandes- cent, magnetic low voltage and electronic low vol- tage dimmers	Trim Kit, Housing Required New Construction or Remo- del Applications	White	N/A

Retrofit LEDTrim Kits

	Application	Size	Trim Style	Lumen	CCT	CRI	Dimming	Install Type	Finishes	Special Applications
IC LED										
 IC LED Retrofit Downlight J6RL	Indoor/Outdoor Single Family Multi-Family Light Commercial	6"	Deep Regressed Smooth or Baffle, Traditional Aesthetic	600 900	2700K 3000K 3500K 4000K	90	Dimmable with most standard incandescent or electronic low voltage dimmers	Trim Kit, Housing Required New Construction or Remodel Applications	Black, White Trim Clear Alzak, White Trim Haze, White Trim Wheat Haze, White Trim White, White Trim	
Smart Speaker Light										
 Smart Speaker Light J6SLC	Indoor/Outdoor Single Family Multi-Family Light Commercial	6"	Flat, Modern wAesthetic	782 - 837	Tunable White (2700K-5000K) + RGB Colors	90	Dimmable to 1% (Not for use with wall dimmers). Perfect for use as a nightlight	Trim Kit, Housing Required New Construction or Remodel Applications	White	
QC Series										
 Quick Connect Remodel Housing QC4R QC5R QC6R	Single Family Multi-Family Light Commercial	4" 5" 6"	Remodel Housing for use with LED Retrofit Trim Kits	Refer to Retrofit LED trim kit for lumens	N/A	N/A	N/A	Remodel Installs into a cutout hole from below the ceiling	N/A	
 Quick Connect New Construction Housing QC4 QC5 QC6	Single Family Multi-Family Light Commercial	4" 5" 6"	New Construction Housing for use with LED Retrofit Trim Kits	Refer to Retrofit LED trim kit for lumens	N/A	N/A	N/A	New Construction Installs into wood joists with Real Nail® 3 bar hangers	N/A	

The logo for Juno Surface Mount. It features the word "juno" in a bold, black, lowercase sans-serif font, with a red dot above the "j". To the right of "juno" is the text "Surface Mount" in a red, sans-serif font.

Juno's® collection of surface mount downlights are full of economical solutions that cover a variety of applications. Each surface mount fixture provides an economical, low cost, and low maintenance element to any residential project.

The surface mount collection includes: JSBC, JSBT, and the JSF. All fixtures have switchable white capabilities.



	Application	Size	Trim Style	Lumen	CCT	CRI	Dimming	Install Type	Finishes	Special Applications
JSBC										
 JSBC Static	Indoor Single Family Multi-Family Light Commercial	4"	Modern, Edged Trim	900	3000K	90	Dimmable to 10% only with triac dimmers	Mounts directly over industry standard junction box	White	
		6"		1070						
 JSBC Switchable	Indoor Single Family Multi-Family Light Commercial	4"	Modern, Edged Trim	840	Switchable White 3000K, 4000K, 5000K	90	Dimmable to 10% only with triac dimmers	Mounts directly over industry standard junction box	White	
		6"		1000						
JBST										
 JBST Static	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Modern, Tapered Trim	750	3000K	90	Dimmable with most standard magnetic low voltage and electronic low voltage dimmers	Mounts directly over industry standard junction box	White	
		6"		990						
 JBST Switchable	Indoor/Outdoor Single Family Multi-Family Light Commercial	4"	Modern, Tapered Trim	750	Switchable White 3000K, 4000K, 5000K	90	Dimmable with most standard magnetic low voltage and electronic low voltage dimmers	Mounts directly over industry standard junction box	White Color Finish Trim Inserts Available	
		6"		1000						
 JBST Switchable + Sensor	Indoor Single Family Multi-Family Light Commercial	6"	Tapered Modern Aesthetic	1050	Switchable White 3000K, 4000K, 5000K	90	Non-Dimming Integrated PIR on/off Motion Sensor	Mounts directly over industry standard junction box	White	N/A
JSF										
 JSF	Indoor/Outdoor Single Family Multi-Family Light Commercial	5"		700	Switchable White 2700K- 5000K	90	Phase Dimming down to 10%. 0-10V and phase dimming available.	Mounts directly over industry standard junction box	Color Finish Trim Inserts 7" Available	
		7"		100						
		11"		1300						
		13"		1800						
JSFSQ										
 JSFSQ	Indoor/Outdoor Single Family Multi-Family Light Commercial	5"		700	Switchable White 2700K- 5000K	90	Phase Dimming down to 10%. 0-10V and phase dimming available.	Mounts directly over industry standard junction box	Color Finish Trim Inserts 7" Available	
		7"		100						
		11"		1300						
		14"		1800						

juno® Flush Mount

Our decorative LED flush mount collection includes round and square trim styles that mount easily and seamlessly to the ceiling. They are ideal for use in residential single family & multi-family along with light commercial spaces. Perfect for foyers, hallways, bedrooms, offices, stairways and more.



	Application	Size	Description	Lumen (up to)	CCT	CRI	Dimming	Mounting Options	Finishes	Special Applications
 Round FMLR	Indoor Single-Family Multi-Family Light Commercial	11"	Round Decorative Flush Mount	1200	Switchable White 2700K 3000K 3500K 4000K 5000K	90	Phase Dimming down to 10%	Ceiling	Matte White Ships with extra Black Trim Ring	
		14"		1800						
 Square FMLSQ	Indoor Single-Family Multi-Family Light Commercial	15"	Square Decorative Flush Mount with Nightlight	1840	Switchable White 2700K 3000K 3500K 4000K 5000K	90	Phase Dimming down to 10%	Ceiling	Matte White Ships with extra Black Trim Ring	
 LED Saturn Round (FMSATL)	Indoor Single-Family Multi-Family Light Commercial	13"	Round Decorative Flush Mount	1370	Switchable White 2700K 3000K 3500K 4000K 5000K	80	Phase dimming down to 10%	Ceiling	Matte Black Brushed Nickel Antique Bronze	
		16"		2000						
 LED Saturn Square (FMSSATL)	Indoor Single-Family Multi-Family Light Commercial	13"	Square Decorative Flush Mount	1370	Switchable White 2700K 3000K 3500K 4000K 5000K	80	Phase dimming down to 10%	Ceiling	Matte Black Brushed Nickel Antique Bronze	
 LED Saturn Round Semi-Flush (FMSFSATL)	Indoor Single-Family Multi-Family Light Commercial	16"	Round, Semi-Flush Decorative Flush Mount	2000	Switchable White 2700K 3000K 3500K 4000K 5000K	90	Phase dimming down to 10%	Ceiling	Matte Black Brushed Nickel Antique Bronze	
 LED Lacuna Round (FMLACL)	Indoor Single-Family Multi-Family Light Commercial	14"	Round Decorative Flush with Unique Uplight	1400	Switchable White 2700K 3000K 3500K 4000K 5000K	90	Phase dimming down to 10%	Ceiling	Brushed Aluminum Matte Black	
 LED Solana Round (FMDR)	Indoor Single-Family Multi-Family Light Commercial	17"	Round Decorative Flush Mount with Unique Uplight	2200	Switchable White 2700K 3000K 3500K 4000K 5000K	90	Phase dimming down to 10%	Ceiling	Matte White Matte Black	